

NOTRANJI NADZOR PITNE VODE - SEPTEMBER 2026

				T vode	pH	El. prevodnost	Vonj	Okus	Klor-prosti	Motnost	Barva	Amonij	Nitrat	Bromat	Atrazin	Desetilatrazin	Bromodiklorometan	Dibromoklorometan	Tribromometan	Triklorometan	THM	E.coli	Koliformne b.	Enterokoki	Št. kolonij pri 22 °C	Št. kolonij pri 36 °C	Clostridium perf.	Klorat	Klorit
				°C		µS/cm			mg/L	NTU	m-1	mg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	CFU/100 mL	CFU/100 mL	CFU/100 mL	CFU/mL	CFU/mL	CFU/100 mL	mg/L	mg/L
Št. vzorca	Vodovod	Mesto odvzema	Datum																										
26/89806	Krško	Zajetje Brege	2.09.2026	12,8									20		0,011	0,023						0	0		<10	<10			
26/89807	Krško	VH Narpel	2.09.2026	15,4					<0,05													0	0		<10	<10			
26/89808	Krško	VH Čerenc	2.09.2026	21,2					<0,05													0	0		<10	<10			
26/91202	Veliki Trn	VH Veliki Trn	7.09.2026	17,8					<0,05					<3			<0,3	<0,3	<0,5	<0,4	<0,5	0	0		<10	<10		0,12	<0,05
26/91203	Raka	VH Celine	7.09.2026	18,9					0,11													0	0		<10	<10			
26/91204	Ardro pri Raki	Ardro pri Raki 17	7.09.2026	17,7					0,13													0	0		<10	<10			
26/91205	Vodovod Raka	Raka, gostilna Tratnik	7.09.2026	23,8					0,08													0	0		<10	<10			
26/91206	Veliki Trn	VH Nemška Gora-Ivandol	7.09.2026	19,8					<0,05													0	0		<10	<10			
26/91207	Veliki Trn	Lomno 18	7.09.2026	21,5					<0,05													0	0		<10	<10			
26/92491	Dolenja va	Dolenja vas, VVO	9.09.2026	15,4	7,7	366	bp	bp	0,14	0,25	<0,2	<0,01		<3			<0,3	<0,3	<0,5	<0,4	<0,5	0	0		<10	<10		<0,05	<0,05
26/92492	Dolenja va	zajetje Črna mlaka	9.09.2026	10,8																		0	0		87	<10			
26/95015	Podbočje	PCP Dol - Planin	15.09.2026	13,7					0,09													0	0		<10	<10			
26/95016	Kostanjevica	VH Bajin Vrh	15.09.2026	10,1					0,16													0	0		<10	<10			
26/95017	Podbočje	Podbočje, OŠ	15.09.2026	21,8					0,15													0	0		<10	<10			
26/95018	Kostanjevica	Črneča vas 13	15.09.2026	19,2					0,14													0	0		<10	<10			
26/95019	Kostanjevica	Male Vodenice 7	15.09.2026	17,9					0,17													0	0		<10	<10			
26/97545	Krško	Vodarna Rore	21.09.2026	13,4					0,05													0	0		<10	<10			
26/97546	Krško	Vrtec Krško, Enota Pravljica	21.09.2026	17,2					0,06													0	2		<10	<10			
26/97552	Krško	VH Trška gora	21.09.2026	13,7					0,06													0	0		<10	<10			
26/101288	Senovo - Brestanica	VH Dobrova	29.09.2026	10,3					0,25													0	0		<10	<10			
26/101290	Koprivnica	VH+ČPR Prevole	29.09.2026	14,1					0,19													0	0	0	<10	<10	0		
26/101291	Koprivnica	Koprivnica, OŠ	29.09.2026	17,1					0,20													0	0		<10	<10			
26/101292	Veliki Kamen	VH Veliki Kamen	29.09.2026	13,3					0,07													0	0		<10	<10			
26/101293	Senovo - Brestanica	VH Petanov breg	29.09.2026	12,5					0,17													0	0		<10	<10			
26/101294	Senovo - Brestanica	Brestanica - Klub pod Lipo	29.09.2026	17,8					0,08													0	0		<10	<10			
26/101295	Krško	Vrtec Krško, Enota Pravljica	29.09.2026	15,8					0,18													0	0		<10	<10			

bp-brez posebnosti